according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Carpet Shampoo Pet, 750ml

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Cleaning agent

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : AV Abfüll- und Verpackungs-GmbH

Gustav-Stresemann-Ring 1

65189 Wiesbaden

Telephone : +49613196406 Telefax : +4961319642559

E-mail address Responsi- : Produktsicherheit@werner-mertz.com

ble/issuing person

Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (67/548/EEC, 1999/45/EC)

Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/45/EC.

2.2 Label elements

mixtures

Special labelling of certain : Safety data sheet available on request for professional users.

2.3 Other hazards

No information available.

3. Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chaminal Manna	CACNIC	Classification	Classification	Composituation	
Chemical Name	l CAS-No.	l Classification	l Classification	I Concentration I	

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

	EC-No. Registration number	(67/548/EEC)	(REGULATION (EC) No 1272/2008)	[%]
Sulfuric acid, mono- C12-16-alkyl esters, sodium salts	73296-89-6 277-362-3 01- 2119489464- 26	Xi; R38 Xi; R41	Skin Irrit. 2; H315 Eye Irrit. 2; H319	>= 2 - < 5
propan-2-ol	67-63-0 200-661-7 01- 2119457558- 25	F; R11 Xi; R36 R67	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 2 - < 5
ethanol	64-17-5 200-578-6	F; R11	Flam. Liq. 2; H225 Eye Dam. 2; H319	>= 2 - < 5

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1 Description of first aid measures

General advice : No hazards which require special first aid measures.

: No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist,

call a physician.

: Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist,

call a physician.

In case of skin contact : Take off contaminated clothing and shoes immediately. Wash

off with soap and plenty of water.

: Take off contaminated clothing and shoes immediately. Wash

off with soap and plenty of water.

In case of eye contact : Remove contact lenses. Protect unharmed eye. Keep eye

wide open while rinsing. Rinse immediately with plenty of wa-

ter, also under the eyelids, for at least 15 minutes.

: Protect unharmed eye. If easy to do, remove contact lens, if

worn. Rinse immediately with plenty of water, also under the

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

eyelids, for at least 15 minutes. Keep eye wide open while

rinsing.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages. Never give anything

by mouth to an unconscious person.

: Clean mouth with water and drink afterwards plenty of water.

Do not give milk or alcoholic beverages. Never give anything

by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

: No information available. **Symptoms**

: No information available. Risks

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

: Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Do not allow run-off from fire fighting to enter drains or water

courses.

: Do not allow run-off from fire fighting to enter drains or water

courses.

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

: In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This

> must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accor-

dance with local regulations.

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water

courses. No special environmental precautions required.

: Try to prevent the material from entering drains or water courses. No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece). Keep in

suitable, closed containers for disposal.

: Wipe up with absorbent material (e.g. cloth, fleece). Keep in

suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8. Treat recovered material as described in the section "Disposal considerations". Refer to section 15 for specific national regulation.

7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling

advice required.

: For personal protection see section 8. No special handling

advice required.

Advice on protection against

fire and explosion

: Normal measures for preventive fire protection.

: Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep container tightly closed in a dry and well-ventilated

WM

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

areas and containers place. Store at room temperature in the original container.

: Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

: No special restrictions on storage with other products.

Order number:

Other data : No decomposition if stored and applied as directed. Protect

from frost.

: No decomposition if stored and applied as directed. Protect

from frost.

7.3 Specific end uses

Specific use(s) : Cleaning agent

8. Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values. Contains no substances with occupational exposure limit values.

DNEL

Sulfuric acid, mono-C12-16-alkyl esters, sodium

salts

: End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 4060 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 285 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 2440 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 85 mg/m3

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

End Use: Consumers
Exposure routes: Ingestion

Potential health effects: Long-term exposure, Systemic effects

Value: 24 mg/kg

propan-2-ol : End Use: Workers

Exposure routes: Skin contact

Potential health effects: Chronic effects

Exposure time: 24 h Value: 888 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Chronic effects

Value: 500 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Chronic effects

Exposure time: 24 h Value: 319 mg/kg

End Use: Consumers
Exposure routes: Ingestion

Potential health effects: Chronic effects

Exposure time: 24 h Value: 26 mg/kg

End Use: Consumers
Exposure routes: Inhalation

Potential health effects: Chronic effects

Value: 89 mg/m3

ethanol : End Use: Workers

Exposure routes: Inhalation

Potential health effects: Short-term exposure, Local effects

Value: 1900 mg/m3

End Use: Workers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 343 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 950 mg/m3

End Use: Consumers Exposure routes: Inhalation

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

Potential health effects: Short-term exposure, Local effects

Value: 950 mg/m3

End Use: Consumers

Exposure routes: Skin contact

Potential health effects: Long-term exposure, Systemic effects

Value: 206 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term exposure, Systemic effects

Value: 114 mg/m3

End Use: Workers

Exposure routes: Ingestion

Potential health effects: Long-term exposure, Systemic effects

Value: 87 mg/kg

PNEC

Sulfuric acid, mono-C12-16- : Fresh water alkyl esters, sodium salts

Value: 0,0958 mg/l

Marine water

Value: 0,0096 mg/l

Fresh water sediment Value: 3,37 mg/kg

Marine sediment Value: 0,337 mg/kg

Soil

Value: 0,616 mg/kg

propan-2-ol Fresh water

Value: 140,9 mg/l

Marine water Value: 140,9 mg/l

Fresh water sediment Value: 552 mg/kg

Marine sediment Value: 552 mg/kg

Value: 28 mg/kg

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

8.2 Exposure controls

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

: No personal respiratory protective equipment normally re-

quired.

Hand protection : For prolonged or repeated contact use protective gloves.

: For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

: Safety glasses

Skin and body protection : Protective suit

: Protective suit

Hygiene measures : General industrial hygiene practice.

: General industrial hygiene practice.

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water

courses. No special environmental precautions required.

: Try to prevent the material from entering drains or water courses. No special environmental precautions required.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : milky
Odour : like fruit
pH : ca. 7,6

Flash point : not applicable

Density : ca. 0,993 g/cm3

Water solubility : soluble

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

Thermal decomposition : no data available

9.2 Other information

Refractive index : 9,5 °Brix

10. Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions. No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

: No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

Protect from frost.

10.5 Incompatible materials

Materials to avoid : no data available

10.6 Hazardous decomposition products

Hazardous decomposition

products

: No hazardous decomposition products are known.

11. Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : According to the classification criteria of the European Union,

the product is not considered as being a skin irritant.

: According to the classification criteria of the European Union,

the product is not considered as being a skin irritant.

Serious eye damage/eye

irritation

: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

the product is not considered as being an eye initant.

: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

Respiratory or skin sensitiza: no data available

tion

: no data available

Further information : no data available

: no data available

Components:

propan-2-ol:

Acute oral toxicity : LD50 (rat): 5.840 mg/kg (OECD Test Guideline 401)

Acute inhalation toxicity : LC50 (rat, 6 h): > 25.000 mg/l, (OECD Test Guideline 403)

Acute dermal toxicity : LD50 (rabbit): 13.900 mg/kg (OECD Test Guideline 402)

ethanol:

Acute oral toxicity : LD50 (rat): 6.200 mg/kg : LD50 (rabbit): 20.000 mg/kg Acute dermal toxicity : rat, Oral, NOAEL: 13.800 mg/kg Reproductive toxicity

12. Ecological information

12.1 Toxicity

There is no data available for this product.

Components:

propan-2-ol:

: LC50 (Lepomis macrochirus (Bluegill sunfish), 96 h): 1.400 Toxicity to fish

mg/l

aquatic invertebrates.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea), 48 h): 1.000 mg/l (static

test)

: EC50 (Daphnia magna (Water flea), 24 h): 9.714 mg/l

Toxicity to algae : IC50 (Desmodesmus subspicatus (green algae), 72 h): >

1.000 mg/l (Growth inhibition)

Toxicity to bacteria : EC50 (Aliivibrio fischeri, 5 min): 17.700 mg/l

ethanol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout), 96 h): 13 g/l

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

: LC50 (Fish): 11.200 mg/l

aquatic invertebrates.

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea), 48 h): 9.268 - 14.221

mg/l

Toxicity to algae : IC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

: EC50 (Pseudomonas putida, 16 h): 11.800 mg/l (Cell multipli-Toxicity to bacteria

cation inhibition test)

12.2 Persistence and degradability

Product:

: The surfactant(s) contained in this preparation complies Biodegradability

(comply) with the biodegradability criteria as laid down in

Regulation (EC) No. 648/2004 on detergents.

Components:

propan-2-ol:

Biodegradability : 95 %, Result: Biodegradable, Exposure time: 21 d, OECD

Test Guideline 301

: 53 %, Result: rapidly biodegradable, Exposure time: 5 d

ethanol:

Biodegradability : 94 %, Result: Readily biodegradable., OECD Test Guideline

301

12.3 Bioaccumulative potential

There is no data available for this product.

Components: propan-2-ol:

Bioaccumulation : Bioconcentration factor (BCF): 3

12.4 Mobility in soil

There is no data available for this product.

Components: propan-2-ol:

Distribution among environ-

mental compartments

: Koc: 25, Highly mobile in soils

ethanol:

Distribution among environmental compartments

: Koc: 1, Highly mobile in soils

12.5 Results of PBT and vPvB assessment

There is no data available for this product.

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

12.6 Other adverse effects

Product:

Additional ecological informa: There is no data available for this product.

: There is no data available for this product.

13. Disposal considerations

13.1 Waste treatment methods

Product : Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

: Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

Contaminated packaging : Empty remaining contents. Empty containers should be taken

to an approved waste handling site for recycling or disposal.

: Empty remaining contents. Empty containers should be taken

to an approved waste handling site for recycling or disposal.

Waste Code : European Waste Catalogue

200129

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with

the waste disposal authorities.

14. Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG

Not dangerous goods

14.3 Transport hazard class

ADR

Not dangerous goods

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

IMDG

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not dangerous goods

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations. Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

There is no data available for this product.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Major Accident Hazard Leg-

islation

: 96/82/EC Update:

Directive 96/82/EC does not apply

Volatile organic compounds

(VOC) content

: Percent volatile: 6,89 %

453,31 g/l

VOC content excluding water

Volatile organic compounds

(VOC) content

: Percent volatile: 6,89 %

68,42 g/l

VOC content valid only for coating materials used on wood

surfaces

15.2 Chemical Safety Assessment

There is no data available for this product.

according to Regulation (EC) No. 1907/2006



Carpet Shampoo Pet, 750ml

WM Order number:

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

16. Other information

Full text of R-phrases referred to under sections 2 and 3

R11	Highly flammable.
R36	Irritating to eyes.
R38	Irritating to skin.

R41 Risk of serious damage to eyes.

R67 Vapours may cause drowsiness and dizziness.

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
11045	On the second section is

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

La información proporcionada en esta Ficha de Datos de Seguridad, es correcta en nuestro mejor entendimiento a la fecha de su publicación. La información suministrada, está concebida solamente como una guía para la seguridad en el manejo, uso, procesamiento, almacenamiento, transporte, eliminación y descarga, y no debe ser considerada como una garantía o especificación de calidad. La información se refiere únicamente al material especificado, y no puede ser válida para dicho en combinación con otros o en cualquier proceso, a menos que sea indicado en el texto. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

according to Regulation (EC) No. 1907/2006 Carpet Shampoo Pet, 750ml

Version 1.1 Revision Date 11.04.2012 Print Date 11.04.2012

50000003111